

# CANTON

## DM 20

**€1,200.00 \***  
inkl. MwSt.





Type	Virtual Surround System
Engineering Principle	Front: 2-way geschlossen Subwoofer: geschlossen
Systempower	350 Watt
Crossover frequency	Front: 3900 Hz Subwoofer: 150 Hz
Woofers	Front: 1 x 80 mm (3") Subwoofer: 1 x 220 mm (9"), Aluminum (Wave surround)
Tweeter	Front: 1 x 15 mm (1"), Aluminium
Connection	1 Antenna input (FM - Radio) 1 preamp output 1 preamp output - zone 2 2 analog inputs (chinch) 2 Digital Input - coaxial 2 Digital Input - optical
Features	Simple remote control operation Stereo & Surround Sound Integrated FM tuner (RDS)
Special Features	Front: Polymer protection Wall brackets included  Subwoofer: SC-technology 350 watt multi-channel amplifier Simple remote control operation Sophisticated Plug & Play solution SC-technology Integrated FM tuner (RDS) Fully active 2.1 music and home theater system
Dimensions (WxHxD)	Front: 9 x 14 x 10 cm (3.5" x 5.5" x 3.9") Subwoofer: 33 x 24.5 x 35 cm (13" x 9.6" x 13.8")
Weight	Front: 1.0 kg Subwoofer: 8.9 kg
Power consumption	0,78 Watt
Available accessories	Loudspeaker stand LS 90.2

Carton Content

Canton DM 20  
Remote control  
Power cord  
Wallmounting  
2 x optical digital audio cable  
Analogue stereo audio cable  
Speaker cable (7.5 m)  
Antenna cable  
FM wire antenna  
Equipment feet  
Manual