

# CANTON

## Movie CD 1000.2

**€0.01 \***  
inkl. MwSt.





Type	Home-Cinema-System with active subwoofer system
Engineering Principle	Front: 2½-way Bassreflexsystem Center: 2-way closed Surround: 2-way closed Subwoofer: Bandpasssystem
Musical output	Subwoofer: 100 watts
Crossover frequency	Front: 400 / 3.500 Hz Center: 3.900 Hz Surround: 3.900 Hz Subwoofer: 80...140 Hz (adjustable)
Woofers	Front: 2 x 80 mm (3"), aluminum Center: 2 x 80 mm (3"), aluminum Surround: 1 x 80 mm (3"), aluminum Subwoofer: 1 x 200 mm (8"), Cellulose/graphite
Tweeter	Front: 1 x 15 mm, Aluminium Center: 1 x 15 mm, Aluminium Surround: 1 x 15 mm (1"), Aluminium
Special Features	Front: Magnetically shielded Polymer protection Aluminum speaker base plate  Center: Magnetically shielded  Surround: Magnetically shielded Polymer protection Wall brackets included  Subwoofer: Adjustable crossover frequency Adjustable bass level SC-technology 350 watt multi-channel amplifier Simple remote control operation Magnetically shielded Sophisticated Plug & Play solution SC-technology Integrated FM tuner (RDS) Fully active 2.1 music and home theater system
Nominal Impedance	4...8 ohms
Dimensions (WxHxD)	Front: 9 x 103 x 10 cm (3.5" x 40.6" x 3.9") Center: 22 x 9 x 10 cm (8.7" x 3.5" x 3.9") Surround: 9 x 13.5 x 10 cm (3.5" x 5.3" x 3.9") Subwoofer: 24 x 42.5 x 42 cm (9.4" x 16.7" x 16.5")



Weight

Front: 8.6 kg  
Center: 1.7 kg  
Surround: 1.0 kg  
Subwoofer: 10.4 kg