

CANTON

Movie CD 101



€0.01 *
inkl. MwSt.



| | |
|-----------------------|---|
| Type | Home-Cinema-System with active subwoofer system |
| Engineering Principle | Front: 2-way geschlossen Center: 2-way geschlossen Surround: 2-way geschlossen Subwoofer: Bandpasssystem |
| Musical output | Subwoofer: 100 watts |
| SPL (1 watt/1m) | 86 db |
| Crossover frequency | Front: 3.900 Hz Center: 3.900 Hz Surround: 3.900 Hz Subwoofer: 80...140 Hz (adjustable) |
| Woofers | Front: 1 x 80 mm (3"), aluminum Center: 2 x 80 mm (3"), aluminum Surround: 1 x 80 mm (3"), aluminum Subwoofer: 1 x 200 mm (8"), aluminum |
| Tweeter | Front: 1 x 15 mm, Aluminium Center: 1 x 15 mm, Aluminium Surround: 15 mm (1"), Aluminium |
| Special Features | Front: Magnetically shielded Polymer protection Wall brackets included Center: Magnetically shielded Surround: Magnetically shielded Polymer protection Wall brackets included Subwoofer: Adjustable crossover frequency Adjustable bass level SC-technology 350 watt multi-channel amplifier Simple remote control operation Magnetically shielded Sophisticated Plug & Play solution SC-technology Integrated FM tuner (RDS) Fully active 2.1 music and home theater system |
| Nominal Impedance | 4...8 ohms |
| Dimensions (WxHxD) | Front: 9 x 13,5 x 10 cm (3.5" x 5.3" x 3.9") Center: 22 x 9 x 10 cm (8.7" x 3.5" x 3.9") Surround: 9 x 13,5 x 10 cm (3.5" x 5.3" x 3.9") Subwoofer: 24 x 42,5 x 42 cm (9.4" x 16.7" x 16.5") |



Weight

Front: 1.0 kg
Center: 1.7 kg
Surround: 1.0 kg
Subwoofer: 10.4 kg