

# CANTON

## Movie CD 2000.2

**€0.01 \***  
inkl. MwSt.





Type	Home-Cinema-System with active subwoofer system
Engineering Principle	Front: 2½-way bassreflexsystem Center: 2½-way closed Surround: 2-way closed Subwoofer: closed
Musical output	Subwoofer: 250 watts
Crossover frequency	Front: 400 / 3.300 Hz Center: 400 / 3.500 Hz Surround: 3.900 Hz Subwoofer: 55...200 Hz (adjustable)
Woofers	Front: 2 x 110 mm (4"), aluminum Center: 1 x 110 mm (4"), aluminum Surround: 1 x 110 mm (4"), aluminum Subwoofer: 1 x 220 mm (9"), Cellulose/graphite
Tweeter	Front: 1 x 25 mm, Aluminium Center: 1 x 25 mm, Aluminium Surround: 1 x 25 mm (1"), Aluminium
Special Features	Front: Magnetically shielded Aluminum speaker base plate  Center: Magnetically shielded Polymer protection Table top stand included Wall brackets included  Surround: Magnetically shielded Polymer protection Wall brackets included  Subwoofer: Downfire Woofer Adjustable phase limiter Adjustable crossover frequency Adjustable bass level SC-technology 350 watt multi-channel amplifier Simple remote control operation Magnetically shielded Sophisticated Plug & Play solution SC-technology Integrated FM tuner (RDS) Fully active 2.1 music and home theater system
Nominal Impedance	4...8 ohms



Dimensions (WxHxD)	Front: 14 x 110 x 10 cm (5.5" x 43.3" x 3.9") Center: 43 x 14 x 10 cm (16.9" x 5.5" x 3.9") Surround: 14 x 22 x 10 cm (5.5" x 8.7" x 3.9") Subwoofer: 27 x 33.5 x 29 cm (10.6" x 13.2" x 11.4")
--------------------	--

Weight	Front: 9.3 kg Center: 3.5 kg Surround: 2.0 kg Subwoofer: 9 kg
--------	--