

Movie CD 206



€0.01 *
inkl. MwSt.



Type	Home-Cinema-System with active subwoofer system
Engineering Principle	Front: 2½-way geschlossen Center: 2½-way geschlossen Surround: 2½-way geschlossen Subwoofer: Bassreflexsystem
Nenn- / Musikleistung	Subwoofer: 150 watts
Crossover frequency	Front: 400 / 3.500 Hz Center: 400 / 3.500 Hz Surround: 400 / 3.500 Hz Subwoofer: 55...200 Hz (adjustable)
Woofer	Front: 1 x 110 mm (4"), aluminum Center: 1 x 110 mm (4"), aluminum Surround: 1 x 110 mm (4"), aluminum Subwoofer: 1 x 220 mm (9"), aluminum
Tweeter	Front: 1 x 25 mm, Aluminium Center: 25 mm, Aluminium Surround: 25 mm (1"), Aluminium
Special Features	Front: Magnetically shielded Polymer protection Wall brackets included Center: Magnetically shielded Surround: Magnetically shielded Polymer protection Wall brackets included Subwoofer: Adjustable crossover frequency Adjustable bass level SC-technology 350 watt multi-channel amplifier Simple remote control operation Magnetically shielded Sophisticated Plug & Play solution SC-technology Integrated FM tuner (RDS) Fully active 2.1 music and home theater system
Nominal Impedance	4...8 ohms
Dimensions (WxHxD)	Front: 14 x 43 x 10 cm (5.5" x 16.9" x 3.9") Center: 43 x 14 x 10 cm (16.9" x 5.5" x 3.9") Surround: 14 x 43 x 10 cm (5.5" x 16.9" x 3.9") Subwoofer: 25.5 x 45 x 37 cm (10" x 17.7" x 14.6")



Weight

Front: 3.5 kg
Center: 3.5 kg
Surround: 3.5 kg
Subwoofer: 12.1 kg