

## DM 76

The DM front surround systems are perfect for positioning under flat screen televisions. With a 200 watt system...



**€499.00 \***  
inkl. MwSt.



|                       |   |
|-----------------------|---|
| Type                  | 2.1 Virtual Surround System   |
| Engineering Principle | Bassreflex  |
| Systempower           | 200 watts   |
| Frequency response    | 35...23.000 Hz  |
| Crossover frequency   | 170 / 3.000 Hz  |
| Woofers               | 4 x 100 mm (4")   |
| Midrange              | 2 x 50 mm (2")  |
| Tweeter               | 2 x 19 mm (1"), Fabric  |
| Connection            | 1 analog Input (chinch)<br>1 Bluetooth® 3.0 interface (apt-X® codec)<br>1 digital Input (coaxial)<br>1 digital Input (optical)<br>1 Sub Out   |
| Features              | bass and treble control<br>Dolby Digital decoder<br>DTS TruSurround™<br>Remote control<br>HDF cabinet, bears a weight up to 40 kg (high density fiberboard)<br>integrated Subwoofer<br>LED Display<br>LipSync function for exact speech synchronization<br>Virtual surround sound & stereo playback   |
| Special Features      | simple one-cable installation - just one cable to your TV and one cable for power<br>IR-learn-function - controllable with TV-remote<br>Voice function - better language playing in Stereo & Surround<br>Automatic on/off switch with TV<br>Hotel Mode - setting of maximum level (hotels / children)<br>ECO Mode - selectable power save mode (On/Off)<br>Bluetooth Select - automatic selection of bluetooth input<br>IR-delete-function - simple deleting of unwanted learnfunctions<br>Direct input selection - ideal learnable smart remotes<br>Lip-Sync - for exact speech synchronization<br>Equalizer - 3 Presets to adjust the acoustics to the setup location<br>Easy-Pairing - easiest connection with source device |
| Warranty              | 2 Jahre   |
| Dimensions (WxHxD)    | 72.5 x 7.1 x 32.0 cm<br>(28.5" x 2.8" x 12.6")  |
| Weight                | 7.75 kg   |
| Power consumption     | 0.38 Watt   |

Carton Content

Canton DM 75  
Remote control  
Power cord  
Optical digital audio cable  
Coaxial digital audio cable  
Analogue stereo audio cable  
Manual