



Vento 896.2 Homecinema Set - 5.1.2

Type	5.1.2 Homecinema Set with active Subwoofer and Dolby Atmos enabled speakers
Engineering Principle	Vento 896.2 (Front): 3-way, bassreflex system Vento 866.2 (Center): 3-way, bassreflex Vento 836.2 (Surround): 2-way, bassreflex system (Backfire) AR-800 (Dolby Atmos speaker): 2-way, closed SUB 1500 R (Subwoofer): bassreflex system with downfire passive membrane
Nom. /Music power handling	Vento 896.2 (Front): 180 / 340 watts Vento 866.2 (Center): 120 / 200 watts Vento 836.2 (Surround): 80 / 150 watts AR-800 (Dolby Atmos speaker): 60 / 100 watts SUB 1500 R (Subwoofer): 500 / 750 watts
Frequency response	Vento 896.2 (Front): 20...40.000 Hz Vento 866.2 (Center): 26...40.000 Hz Vento 836.2 (Surround): 27...40.000 Hz AR-800 (Dolby Atmos speaker): 50...30.000 Hz SUB 1500 R (Subwoofer): 18...200 Hz
Crossover frequency	Vento 896.2 (Front): 250 / 3.000 Hz Vento 866.2 (Center): 300 / 3.000 Hz Vento 836.2 (Surround): 3.000 Hz AR-800 (Dolby Atmos speaker): 3.200 Hz SUB 1500 R (Subwoofer): 55...200 Hz (adjustable)
Woofers	Vento 896.2 (Front): 2 x 192 mm (7,6"), titanium (Wave-surround, Double-Cone) Vento 866.2 (Center): 1 x 174 mm (6,8"), titanium (Wave-surround) Vento 836.2 (Surround): 1 x 174 mm (6,8"), titanium (Wave-surround) AR-800 (Dolby Atmos speaker): 1 x 154 mm (6.1"), titanium (Wave-surround) SUB 1500 R (Subwoofer): 1 x 308 mm (12.1"), titanium (Wave-surround) & 1 x 308 mm (12.1") downfire woofer
Midrange	Vento 896.2 (Front): 1 x 174 mm (6,8"), titanium (Wave-surround) Vento 866.2 (Center): 1 x 174 mm (6,8"), titanium (Wave-surround)
Tweeter	Vento 896.2 (Front): 1 x 25 mm (1"), ceramic Vento 866.2 (Center): 1 x 25 mm (1"), ceramic Vento 836.2 (Surround): 1 x 25 mm (1"), ceramic AR-800 (Dolby Atmos speaker): 1 x 25 mm (1"), ceramic
Nominal Impedance	4...8 ohm
Connection	SUB 1500 R (Subwoofer): 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch)

Vento 896.2 (Front):
DC-technology
fabric grill with magnetic mount (black)
Gold plated bi-wiring/bi-amping screwclamp terminals

Vento 866.2 (Center):
fabric grill with magnetic mount (black)
Gold plated terminals

Vento 836.2 (Surround):
fabric grill with magnetic mount (black)
Gold plated terminals

Special Features

AR-800 (Dolby Atmos speaker):
Dolby Atmos® technology
Reflection speaker for floorstanding- and compact speakers
Integrated wallmount for use as a Stereo Sound effect speaker
fabric grill with magnetic mount (black)

SUB 1500 R (Subwoofer):
SC-technology
fabric grill with magnetic mount (black)
Automatic on/off switch
IR remote
adjustable volume
Adjustable phase limiter
Adjustable crossover frequency

Warranty

5 years

Dimensions (WxHxD)

Vento 896.2 (Front):
W: 24,7 cm (9.7") | 28,7 cm (11.2") with base
H: 110 cm (43.3") with base and equipment feet
D: 34 cm (13.4") | 38 cm (14.9") with base

Vento 866.2 (Center):
W: 60 cm (23.6")
H: 20 cm (7.9")
D: 35 cm (13.8")

Vento 836.2 (Surround):
W: 22 cm (8.7")
H: 36 cm (14.2")
D: 30 cm (11.8")

AR-800 (Dolby Atmos speaker):
W: 19.5 cm (7.7")
H: 27 cm (10.6")
D: 14.5 cm (5.7")

SUB 1500 R (Subwoofer):
W: 38 cm (15")
H: 50 cm (19.7") with equipment feet
D: 50 cm (19.7")

Weight

Vento 896.2 (Front): 30 kg
Vento 866.2 (Center): 14.5 kg
Vento 836.2 (Surround): 8.7 kg
AR-800 (Dolby Atmos speaker): 3.6 kg
SUB 1500 R (Subwoofer): 26.7 kg

Power consumption

0.82 watts (subwoofer)

Available accessories

LS 850.3 Speaker stand

	<p>Vento 896.2 (Front): Canton Vento 896.2 (Pair) Equipmentfeet Spikes Equipmentfeet Fabrik grill with magnetic mount (black) Manual</p> <p>Vento 866.2 (Center): Canton Vento 866.2 (Piece) Equipment feet Fabrik grill (black) Manual</p> <p>Vento 836.2 (Surround): Vento 836.2 (Pair) Equipmentfeet fabric grill with magnetic mount (black) Manual</p> <p>AR-800 (Dolby Atmos speaker): Canton AR-800 (Pair) Equipment feet Fabric grill Manual</p> <p>SUB 1500 R (Subwoofer): Canton SUB 1500 R (Piece): Remote control Fabrik grill (black) Power chord Manual</p>
Carton Content	
Packaging	<p>Vento 896.2 (Front): 52,5 x 124 x 39,5 cm (20,7" x 48,8" x 15,6") Vento 866.2 (Center): 32 x 71 x 47 cm (12,6" x 28" x 18,5") Vento 836.2 (Surround): 46 x 64 x 43 cm (18,1" x 25,2" x 16,9") AR-800 (Dolby Atmos speaker): 25 x 50,5 x 38,5 cm (9,8" x 19,9" x 15,2") SUB 1500 R (Subwoofer): 68 x 59 x 49,5 cm (26,8" x 23,2" x 19,5")</p>