

Chrono SL 596.2 Homecinema Set - 5.1



- 5.1 home cinema system
- Titanium midrange / woofer system
- Magnetic fabric cover
- 12" subwoofer

€6,484.00 *

inkl. MwSt.



Type	5.1.2 Homecinema Set with active Subwoofer
Engineering Principle	Chrono SL 596.2 DC (Front): 3-way, bassreflex system Chrono SL 556.2 (Center):: 3-way, bassreflex Chrono SL 536.2 (Surround): 2-way, bassreflex system (Backfire) SUB 1500 R (Subwoofer): bassreflex system with downfire passive membrane
Nom. /Music power handling	Chrono SL 596.2 DC (Front): 160 / 320 watts Chrono SL 556.2 (Center): 120 / 200 watts Chrono SL 536.2 (Surround): 70 / 130 watts SUB 1500 R (Subwoofer): 500 / 750 watts
Frequency response	Chrono SL 596.2 DC (Front): 20...40.000 Hz Chrono SL 556.2 DC (Center): 32...40.000 Hz Chrono SL 536.2 (Surround): 33...40.000 Hz SUB 1500 R (Subwoofer): 18...200 Hz
Crossover frequency	Chrono SL 596.2 DC (Front): 300 / 3.000 Hz Chrono SL 556.2 (Center): 350 / 3.000 Hz Chrono SL 536.2 (Surround): 3.000 Hz SUB 1500 R (Subwoofer): 55...200 Hz (adjustable)
Woofers	Chrono SL 596.2 DC (Front): 2 x 200 mm (8"), titanium (Wave-surround, Double-Cone) Chrono SL 556.2 (Center): 1 x 160 mm (6.3"), titanium (Wave-surround) Chrono SL 536.2 (Surround): 1 x 180 mm (7"), titanium (Wave-surround) SUB 1500 R (Subwoofer): 1 x 310 mm (12.2"), titanium (Wave-surround) & 1 x 310 mm (12.2") downfire woofer
Midrange	Chrono SL 596.2 DC (Front): 1 x 180 mm (7"), titanium (Wave-surround) Chrono SL 556.2 (Center): 1 x 160 mm (6.3"), titanium (Wave-surround)
Tweeter	Chrono SL 596.2 DC (Front) 1 x 25 mm (1"), ceramic Chrono SL 556.2 (Center): 1 x 25 mm (1"), ceramic Chrono SL 536.2 (Surround): 1 x 25 mm (1"), ceramic
Connection	SUB 1500 R (Subwoofer): 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch)
Special Features	Chrono SL 596.2 DC (Front): DC-technology fabric grill with magnetic mount (black) Gold plated bi-wiring/bi-amping screwclamp terminals Chrono SL 556.2 (Center): fabric grill with magnetic mount (black) Gold plated terminals Chrono SL 536.2 (Surround): fabric grill with magnetic mount (black) Gold plated terminals SUB 1500 R (Subwoofer): SC-technology fabric grill with magnetic mount (black) Automatic on/off switch IR remote adjustable volume Adjustable phase limiter Adjustable crossover frequency

Warranty	5 Jahre
Nominal Impedance	4...8 ohm
Dimensions (WxHxD)	Chrono SL 596.2 DC (Front): W: 21 cm (8.3") 25 cm (9.8") with base H: 105 cm (41.3") with base and equipment feet D: 30 cm (11.8") 32 cm (12.6") with base
	Chrono SL 556.2 (Center): W: 50 cm (19.7") H: 17 cm (6.7") D: 27 cm (10.6")
	Chrono SL 536.2 (Surround): W: 19 cm (7.5") H: 36 cm (14.2") D: 27 cm (10.6")
	SUB 1500 R (Subwoofer): W: 38 cm (15") H: 50 cm (19.7") with equipment feet D: 50 cm (19.7")
Weight	Chrono SL 596.2 DC (Front): 25 kg Chrono SL 556.2 (Center): 9.5 kg Chrono SL 536.2 (Surround): 8 kg SUB 1500 R (Subwoofer): 26.7 kg
Power consumption	0.82 watts (subwoofer)
Available accessories	LS 660 Speaker stand
Carton Content	Chrono SL 596.2 DC (Front): Canton Chrono SL 596.2 DC (Pair) Equipmentfeet Spikes Equipmentfeet Fabric grill with magnetic mount (black) Manual
	Chrono SL 556.2 (Center): Canton Chrono SL 556.2 (Piece) Equipment feet Fabric grill (black) Manual
	Chrono SL 536.2 (Surround): Canton Chrono SL 536.2 (Pair) Equipmentfeet Fabric grill with magnetic mount (black) Manual
	SUB 1500 R (Subwoofer): Canton SUB 1500 R (Piece): Remote control Fabrik grill (black) Power chord Manual