



## Chrono SL 596.2 Homecinema Set - 5.1.2

Type 5.1.2 Homecinema Set with active Subwoofer and Dolby Atmos enabled speakers

Engineering Principle	Chrono SL 596.2 DC (Front): 3-way, bassreflex system Chrono SL 556.2 (Center):: 3-way, bassreflex Chrono SL 536.2 (Surround): 2-way, bassreflex system (Backfire) AR-500 (Dolby Atmos Lautsprecher): 2-way, closed SUB 1500 R (Subwoofer): bassreflex system with downfire passive membrane
Nom. /Music power handling	Chrono SL 596.2 DC (Front): 160 / 320 watts Chrono SL 556.2 (Center): 120 / 200 watts Chrono SL 536.2 (Surround): 70 / 130 watts AR-500 (Dolby Atmos Lautsprecher): 60 / 100 watts SUB 1500 R (Subwoofer): 500 / 750 watts
Frequency response	Chrono SL 596.2 DC (Front): 20...40.000 Hz Chrono SL 556.2 DC (Center): 32...40.000 Hz Chrono SL 536.2 (Surround): 33...40.000 Hz AR-500 (Dolby Atmos speaker): 50...30.000 Hz SUB 1500 R (Subwoofer): 18...200 Hz
Crossover frequency	Chrono SL 596.2 DC (Front): 300 / 3.000 Hz Chrono SL 556.2 (Center): 350 / 3.000 Hz Chrono SL 536.2 (Surround): 3.000 Hz AR-500 (Dolby Atmos speaker): 3.200 Hz SUB 1500 R (Subwoofer): 55...200 Hz (adjustable)
Woofer	Chrono SL 596.2 DC (Front): 2 x 200 mm (8"), titanium (Wave-surround, Double-Cone) Chrono SL 556.2 (Center): 1 x 160 mm (6.3"), titanium (Wave-surround) Chrono SL 536.2 (Surround): 1 x 180 mm (7"), titanium (Wave-surround) AR-500 (Dolby Atmos speaker): 1 x 160 mm (6.3"), titanium (Wave-surround) SUB 1500 R (Subwoofer): 1 x 310 mm (12.2"), titanium (Wave-surround) & 1 x 310 mm (12.2") downfire woofer
Midrange	Chrono SL 596.2 DC (Front): 1 x 180 mm (7"), titanium (Wave-surround) Chrono SL 556.2 (Center): 1 x 160 mm (6.3"), titanium (Wave-surround)

Tweeter	Chrono SL 596.2 DC (Front) 1 x 25 mm (1"), ceramic Chrono SL 556.2 (Center): 1 x 25 mm (1"), ceramic Chrono SL 536.2 (Surround): 1 x 25 mm (1"), ceramic AR-500 (Dolby Atmos speaker): 1 x 25 mm (1"), aluminium
Nominal Impedance	4...8 ohm
Connection	SUB 1500 R (Subwoofer): 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch)
Special Features	<p>Chrono SL 596.2 DC (Front): DC-technology fabric grill with magnetic mount (black) Gold plated bi-wiring/bi-amping screwclamp terminals</p> <p>Chrono SL 556.2 (Center): fabric grill with magnetic mount (black) Gold plated terminals</p> <p>Chrono SL 536.2 (Surround): fabric grill with magnetic mount (black) Gold plated terminals</p> <p>AR-500 (Dolby Atmos speaker): Dolby Atmos® technology Reflection speaker for floorstanding- and compact speakers Integrated wallmount for use as a Stereo Sound effect speaker fabric grill with magnetic mount (black)</p> <p>SUB 1500 R (Subwoofer): SC-technology fabric grill with magnetic mount (black) Automatic on/off switch IR remote adjustable volume Adjustable phase limiter Adjustable crossover frequency</p>
Warranty	5 years
Dimensions (WxHxD)	<p>Chrono SL 596.2 DC (Front): W: 21 cm (8.3")   25 cm (9.8") with base H: 105 cm (41.3") with base and equipment feet D: 30 cm (11.8")   32 cm (12.6") with base</p> <p>Chrono SL 556.2 (Center): W: 50 cm (19.7") H: 17 cm (6.7") D: 27 cm (10.6")</p> <p>Chrono SL 536.2 (Surround): W: 19 cm (7.5") H: 36 cm (14.2") D: 27 cm (10.6")</p> <p>AR-500 (Dolby Atmos speaker): W: 17 cm (6.7") H: 26 cm (10.2") D: 14.5 cm (5.7")</p> <p>SUB 1500 R (Subwoofer): W: 38 cm (15") H: 50 cm (19.7") with equipment feet D: 50 cm (19.7")</p>

Weight	Chrono SL 596.2 DC (Front): 25 kg Chrono SL 556.2 (Center): 9.5 kg Chrono SL 536.2 (Surround): 8 kg AR-500 (Dolby Atmos speaker): 3.6 kg SUB 1500 R (Subwoofer): 26.7 kg
Power consumption	0.82 watts (subwoofer)
Available accessories	LS 660 Speaker stand
Carton Content	<p>Chrono SL 596.2 DC (Front): Canton Chrono SL 596.2 DC (Pair) Equipmentfeet Spikes Equipmentfeet Fabric grill with magnetic mount (black) Manual</p> <p>Chrono SL 556.2 (Center): Canton Chrono SL 556.2 (Piece) Equipment feet Fabric grill (black) Manual</p> <p>Chrono SL 536.2 (Surround): Canton Chrono SL 536.2 (Pair) Equipmentfeet Fabric grill with magnetic mount (black) Manual</p> <p>AR-500 (Dolby Atmos speaker): Canton AR-500 (Pair) Equipment feet Fabric grill Manual</p> <p>SUB 1500 R (Subwoofer): Canton SUB 1500 R (Piece): Remote control Fabrik grill (black) Power chord Manual</p>