

Vento 896.2 Homecinema Set - 5.1



- 5.1 home cinema system
- Titanium midrange / woofer system
- Magnetic fabric cover
- 12" subwoofer

€8,044.00 *

inkl. MwSt.

Type	5.1 Homecinema Set with active Subwoofer
Engineering Principle	Vento 896.2 (Front): 3-way, bassreflex system Vento 866.2 (Center): 3-way, bassreflex Vento 836.2 (Surround): 2-way, bassreflex system (Backfire) SUB 1500 R (Subwoofer): bassreflex system with downfire passive membrane
Nom. /Music power handling	Vento 896.2 (Front): 180 / 340 watts Vento 866.2 (Center): 120 / 200 watts Vento 836.2 (Surround): 80 / 150 watts SUB 1500 R (Subwoofer): 500 / 750 watts
Frequency response	Vento 896.2 (Front): 20...40.000 Hz Vento 866.2 (Center): 26...40.000 Hz Vento 836.2 (Surround): 27...40.000 Hz SUB 1500 R (Subwoofer): 18...200 Hz
Crossover frequency	Vento 896.2 (Front): 250 / 3.000 Hz Vento 866.2 (Center): 300 / 3.000 Hz Vento 836.2 (Surround): 3.000 Hz SUB 12.4 (Subwoofer): 55...200 Hz (adjustable)
Woofers	Vento 896.2 (Front): 2 x 192 mm (7,6"), titanium (Wave-surround, Double-Cone) Vento 866.2 (Center): 1 x 174 mm (6,8"), titanium (Wave-surround) Vento 836.2 (Surround): 1 x 174 mm (6,8"), titanium (Wave-surround) SUB 1500 R (Subwoofer): 1 x 308 mm (12.1"), titanium (Wave-surround) & 1 x 308 mm (12.1") downfire woofer
Midrange	Vento 896.2 (Front): 1 x 174 mm (6,8"), titanium (Wave-surround) Vento 866.2 (Center): 1 x 174 mm (6,8"), titanium (Wave-surround)
Tweeter	Vento 896.2 (Front): 1 x 25 mm (1"), ceramic Vento 866.2 (Center): 1 x 25 mm (1"), ceramic Vento 836.2 (Surround): 1 x 25 mm (1"), ceramic
Connection	SUB 1500 R (Subwoofer): 2 high level inputs (loudspeaker cable) 2 low level inputs (chinch)
Special Features	Vento 896.2 (Front): DC-technology fabric grill with magnetic mount (black) Gold plated bi-wiring/bi-amping screwclamp terminals Vento 866.2 (Center): fabric grill with magnetic mount (black) Gold plated terminals Vento 836.2 (Surround): fabric grill with magnetic mount (black) Gold plated terminals SUB 1500 R (Subwoofer): SC-technology fabric grill with magnetic mount (black) Automatic on/off switch IR remote adjustable volume Adjustable phase limiter Adjustable crossover frequency

Warranty	5 Jahre
Nominal Impedance	4...8 ohm
Dimensions (WxHxD)	Vento 896.2 (Front): W: 24,7 cm (9.7") 28,7 cm (11.2") with base H: 110 cm (43.3") with base and equipment feet D: 34 cm (13.4") 38 cm (14.9") with base
	Vento 866.2 (Center): W: 60 cm (23.6") H: 20 cm (7.9") D: 35 cm (13.8")
	Vento 836.2 (Surround): W: 22 cm (8.7") H: 36 cm (14.2") D: 30 cm (11.8")
	SUB 1500 R (Subwoofer): W: 38 cm (15") H: 50 cm (19.7") with equipment feet D: 50 cm (19.7")
Weight	Vento 896.2 (Front): 30 kg Vento 866.2 (Center): 14.5 kg Vento 836.2 (Surround): 8.7 kg SUB 1500 R (Subwoofer): 26.7 kg
Power consumption	0.82 watts (subwoofer)
Available accessories	LS 850.3 Speaker stand
Carton Content	Vento 896.2 (Front): Canton Vento 896.2 (Pair) Equipmentfeet Spikes Equipmentfeet Fabrik grill with magnetic mount (black) Manual
	Vento 866.2 (Center): Canton Vento 866.2 (Piece) Equipment feet Fabrik grill (black) Manual
	Vento 836.2 (Surround): Vento 836.2 (Pair) Equipmentfeet fabric grill with magnetic mount (black) Manual
	SUB 1500 R (Subwoofer): Canton SUB 1500 R (Piece): Remote control Fabrik grill (black) Power chord Manual