

CD Series

NEW HIFI PRODUCTS 2014



CANTON
German loudspeaker tradition

Slender lines, versatile language of form, full spectrum of sound

Its sound performance is as mature and powerful as its appearance is slender and elegant. The modified cabinet geometry, new surface finishes and the revised structure of the front covers are the technical secret behind the new speakers of the CD series and the reason for the tonal finesse. You will be persuaded by the more finely tuned speaker technology underneath, based on aluminum membranes.



White "high gloss" lacquer
White metal lattice



Silver anodized aluminum
Silver metal lattice




Black anodized aluminum
Black metal lattice

- ▶ Aluminum tweeter system
- ▶ Cone systems with aluminum membranes
- ▶ Cabinet made of high quality aluminum
- ▶ Metal lattice as front cover
- ▶ Matching subwoofer: SUB 800 R, SUB 600
- ▶ Matching speaker base: LS 250.2 or LS 90.2



White "high gloss" lacquer
White metal lattice



Silver anodized aluminum
Silver metal lattice



Black anodized aluminum
Black metal lattice

The new CD 200 Series

The new CD 100 Series



CD 250.3

Engineering principle — 2-way, closed
Power handling (nom./music) — 70/130 watts
Efficiency — 87 dB
Frequency response — 45...30,000 Hz
Dimensions W x H x D — 43 x 14 x 10 cm
16.9" x 5.5" x 3.9"
Weight — 3.5 kg
Optional accessory — LS 250.2
Special feature — Polymer protection,
Wall brackets



CD 220.3

Engineering principle — 2-way, closed
Power handling (nom./music) — 50/120 watts
Efficiency — 86.5 dB
Frequency response — 45...30,000 Hz
Dimensions W x H x D — 14 x 21.5 x 10 cm
5.5" x 8.5" x 3.9"
Weight — 2 kg
Optional accessory — LS 250.2
Special feature — Polymer protection,
Wall brackets



SUB 600

Engineering principle — closed
Output (nom./music) — 200/250 watts
Frequency response — 30...200 Hz
Dimensions W x H x D — 27 x 33.3 x 29.5 cm
10.6" x 13.1" x 11.6"
Weight — 9 kg
Special feature — High level input,
Low level input,
Automatic on/off switch



CD 150.2

Engineering principle — 2-way, closed
Power handling (nom./music) — 50/100 watts
Efficiency — 86.5 dB
Frequency response — 60...25,000 Hz
Dimensions W x H x D — 36 x 9 x 10 cm
14.2" x 3.5" x 3.9"
Weight — 1.7 kg
Special feature — Polymer protection,
Wall brackets



CD 120.2

Engineering principle — 2-way, closed
Power handling (nom./music) — 45/100 watts
Efficiency — 85 dB
Frequency response — 80...25,000 Hz
Dimensions W x H x D — 9 x 14 x 10 cm
3.5" x 5.5" x 3.9"
Optional accessory — LS 90.2
Weight — 0.8 kg
Special feature — Polymer protection,
Wall brackets



SUB 600

Engineering principle — closed
Output (nom./music) — 200/250 watts
Frequency response — 30...200 Hz
Dimensions W x H x D — 27 x 33.3 x 29.5 cm
10.6" x 13.1" x 11.6"
Weight — 9 kg
Special feature — High level input,
Low level input,
Automatic on/off switch

CD 290.3

Engineering principle — 2-way, closed
Power handling (nom./music) — 90/150 watts
Efficiency — 87.5 dB
Frequency response — 40...30,000 Hz
Dimensions W x H x D — 14 x 105 x 10 cm
5.5" x 41.3" x 3.9"
Weight — 9.3 kg
Special feature — Aluminum speaker base plate

CD 190.2

Engineering principle — 2-way, closed
Power handling (nom./music) — 70/120 watts
Efficiency — 86.5 dB
Frequency response — 50...25,000 Hz
Dimensions W x H x D — 9 x 100 x 10 cm
3.5" x 39.4" x 3.9"
Weight — 4.7 kg
Special feature — Aluminum speaker base plate

CD SERIES FEATURES

For movie fans: The speakers of the CD Series can be perfectly combined as elegant 5.1 Movie packages



Movie 2050.2

- Dimensions (W x H x D)
 - Front: 14.5 x 105 x 10.5 cm
5.7" x 41.3" x 4.1"
 - Center: 40 x 14.5 x 10.5 cm
15.8" x 5.7" x 4.1"
 - Rear: 14.5 x 21.4 x 10.5 cm
5.7" x 8.4" x 4.1"
 - Subwoofer: 27 x 33.3 x 29.5 cm
10.6" x 13.1" x 11.6"



Movie 1050.2

- Dimensions (W x H x D)
 - Front: 9 x 100 x 10 cm
3.5" x 39.4" x 3.9"
 - Center: 22 x 9 x 10 cm
8.7" x 3.5" x 3.9"
 - Rear: 9 x 13.8 x 10 cm
3.5" x 5.4" x 3.9"
 - Subwoofer: 24 x 41 x 42 cm
9.4" x 16.1" x 16.5"



Movie 2005.2

- Dimensions (W x H x D)
 - Front & Rear: 14.5 x 21.4 x 10.5 cm
5.7" x 8.4" x 4.1"
 - Center: 40 x 14.5 x 10.5 cm
15.8" x 5.7" x 4.1"
 - Subwoofer: 27 x 33.3 x 29.5 cm
10.6" x 13.1" x 11.4"



Movie 1005.2

- Dimensions (W x H x D)
 - Front & Rear: 9 x 13.8 x 10 cm
3.5" x 5.4" x 3.9"
 - Center: 22 x 9 x 10 cm
8.7" x 3.5" x 3.9"
 - Subwoofer: 24 x 41 x 42 cm
10.6" x 13.1" x 11.6"


May be subject to technical changes.
Errors and omissions excepted.

CANTON Elektronik GmbH + Co. KG
Neugasse 21-23
61276 Weilrod, Germany

Tel.: +49 (0) 6083 287-0
Fax: +49 (0) 6083 281-13

E-Mail: info@canton.de
Web: www.canton.de

CANTON
German loudspeaker tradition

Member of:
 HIGH END SOCIETY

 Find us on
Facebook
facebook.com/CantonLautsprecher